

1-1 By: Van de Putte S.B. No. 100  
1-2 (In the Senate - Filed November 12, 2002; January 27, 2003,  
1-3 read first time and referred to Committee on Health and Human  
1-4 Services; April 9, 2003, reported favorably, as amended, by the  
1-5 following vote: Yeas 8, Nays 0; April 9, 2003, sent to printer.)

1-6 COMMITTEE AMENDMENT NO. 1 By: Janek

1-7 Amend S.B. No. 100 as follows:

1-8 (1) In Section 1 of the bill, in added Section 42.060(b),  
1-9 Human Resources Code (Introduced version page 1, line 11; Committee  
1-10 printing page 1, line 33), strike "Each" and substitute "Except as  
1-11 provided by Subsection (d), each".

1-12 (2) In Section 1 of the bill, after added Section 42.060(c),  
1-13 Human Resources Code (Introduced version page 1, between lines 16  
1-14 and 17; Committee printing page 1, between lines 38 and 39), insert  
1-15 a new Subsection (d) to read as follows:

1-16 (d) A day-care center is exempt from the carbon monoxide  
1-17 detector requirements prescribed by this section if the day-care  
1-18 center is located in a school facility that is subject to the school  
1-19 facility standards adopted by the commissioner of education under  
1-20 Section 46.008, Education Code, or similar safety standards adopted  
1-21 by the board of a local school district.

1-22 A BILL TO BE ENTITLED  
1-23 AN ACT

1-24 relating to carbon monoxide detectors in certain child-care  
1-25 facilities and family homes.

1-26 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF TEXAS:

1-27 SECTION 1. Subchapter C, Chapter 42, Human Resources Code,  
1-28 is amended by adding Section 42.060 to read as follows:

1-29 Sec. 42.060. CARBON MONOXIDE DETECTORS. (a) In this  
1-30 section, "carbon monoxide detector" means a device that detects and  
1-31 sounds an alarm to indicate the presence of a harmful level of  
1-32 carbon monoxide gas.

1-33 (b) Each day-care center, group day-care home, and family  
1-34 home must be equipped with carbon monoxide detectors in accordance  
1-35 with department rules.

1-36 (c) The department by rule shall prescribe requirements  
1-37 regarding the placement, installation, and number of carbon  
1-38 monoxide detectors and maintenance procedures for those detectors.

1-39 SECTION 2. (a) This Act takes effect September 1, 2003.

1-40 (b) Notwithstanding Subsection (a) of this section, a  
1-41 day-care center, group day-care home, or family home is not  
1-42 required to be equipped with carbon monoxide detectors as required  
1-43 by Section 42.060, Human Resources Code, as added by this Act,  
1-44 before January 1, 2004.

1-45 \* \* \* \* \*