By: Denny H.B. No. 3534

A BILL TO BE ENTITLED

1	AN ACT
2	relating to the creation of the Denton County Municipal Utility
3	District No. 6; providing authority to impose a tax and issue bonds;
4	granting the power of eminent domain.
5	BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF TEXAS:
6	SECTION 1. Subtitle F, Title 6, Special District Local Laws
7	Code, is amended by adding Chapter 8126 to read as follows:
8	CHAPTER 8126. DENTON COUNTY MUNICIPAL UTILITY DISTRICT
9	<u>NO. 6</u>
10	SUBCHAPTER A. GENERAL PROVISIONS
11	Sec. 8126.001. DEFINITIONS. In this chapter:
12	(1) "Board" means the board of directors of the
13	district.
14	(2) "Director" means a member of the board.
15	(3) "District" means the Denton County Municipal
16	Utility District No. 6.
17	Sec. 8126.002. NATURE OF DISTRICT. The district is a
18	municipal utility district in Denton County created under and
19	essential to accomplish the purposes of Section 52, Article III,
20	and Section 59, Article XVI, Texas Constitution.
21	Sec. 8126.003. CONFIRMATION ELECTION REQUIRED. If the
22	creation of the district is not confirmed at a confirmation
23	election held under Section 8126.023 before September 1, 2007:
24	(1) the district is dissolved September 1, 2007,

1	<pre>except that:</pre>
2	(A) any debts incurred shall be paid;
3	(B) any assets that remain after the payment of
4	debts shall be transferred to Denton County; and
5	(C) the organization of the district shall be
6	maintained until all debts are paid and remaining assets are
7	transferred; and
8	(2) this chapter expires September 1, 2010.
9	Sec. 8126.004. INITIAL DISTRICT TERRITORY. (a) The
10	district is initially composed of the territory described by
11	Section 2 of the Act creating this chapter.
12	(b) The boundaries and field notes contained in Section 2 of
13	the Act creating this chapter form a closure. A mistake made in the
14	field notes or in copying the field notes in the legislative process
15	<pre>does not affect:</pre>
16	(1) the organization, existence, or validity of the
17	<pre>district;</pre>
18	(2) the right of the district to impose taxes;
19	(3) the validity of the district's bonds, notes, or
20	indebtedness; or
21	(4) the legality or operation of the district or the
22	board.
23	Sec. 8126.005. APPLICABILITY OF OTHER LAW. Except as
24	otherwise provided by this chapter, Chapters 49 and 54, Water Code,
25	apply to the district.
26	[Sections 8126.006-8126.020 reserved for expansion]

SUBCHAPTER A1. TEMPORARY PROVISIONS

- Sec. 8126.021. TEMPORARY DIRECTORS. (a) On or after
- 3 September 1, 2005, a person who owns land inside the boundaries of
- 4 the district may petition the Texas Commission on Environmental
- 5 Quality to appoint as temporary directors the five persons listed
- 6 in the petition.

- 7 (b) The commission shall appoint as temporary directors the
- 8 persons listed in a petition received by the commission under
- 9 Subsection (a). If the commission receives more than one petition,
- 10 the commission shall appoint the directors listed in the first
- 11 petition the commission receives.
- (c) If a temporary director fails to qualify for office, the
- 13 commission shall appoint a person to fill the vacancy.
- 14 (d) Temporary directors serve until the earlier of:
- 15 (1) the date directors are elected under Section
- 16 <u>8126.023; or</u>
- 17 (2) the date this chapter expires under Section
- 18 8126.003.
- 19 Sec. 8126.022. ORGANIZATIONAL MEETING OF TEMPORARY
- 20 DIRECTORS. As soon as practicable after all the temporary
- 21 <u>directors have qualified under Section 49.055, Water Code, the</u>
- 22 temporary directors shall meet at a location in the district
- 23 agreeable to a majority of the directors. If a location cannot be
- 24 agreed upon, the meeting shall be at the Denton County Courthouse.
- 25 At the meeting, the temporary directors shall elect officers from
- 26 among the temporary directors and conduct any other district
- 27 business.

1	Sec. 8126.023. CONFIRMATION AND INITIAL DIRECTORS'
2	ELECTION. The temporary directors shall hold an election to
3	confirm the creation of the district and to elect five directors as
4	provided by Section 49.102, Water Code.
5	Sec. 8126.024. INITIAL ELECTED DIRECTORS; TERMS. The
6	directors elected under Section 8126.023 shall draw lots to
7	determine which two shall serve until the first regularly scheduled
8	election of directors under Section 8126.052 and which three shall
9	serve until the second regularly scheduled election of directors.
10	Sec. 8126.025. EXPIRATION OF SUBCHAPTER. This subchapter
11	expires September 1, 2010.
12	[Sections 8126.026-8126.050 reserved for expansion]
13	SUBCHAPTER B. BOARD OF DIRECTORS
14	Sec. 8126.051. DIRECTORS; TERMS. (a) The district is
15	governed by a board of five directors.
16	(b) Directors serve staggered four-year terms.
17	Sec. 8126.052. ELECTION OF DIRECTORS. On the uniform
18	election date in May of each even-numbered year, the appropriate
19	number of directors shall be elected.
20	[Sections 8126.053-8126.100 reserved for expansion]
21	SUBCHAPTER C. POWERS AND DUTIES
22	Sec. 8126.101. ROAD PROJECTS. The district may construct,
23	acquire, improve, maintain, or operate macadamized, graveled, or
24	paved roads or turnpikes, or improvements in aid of those roads or
25	turnpikes, inside or outside the district.
26	[Sections 8126.102-8126.150 reserved for expansion]

1 SUBCHAPTER D. GENERAL FINANCIAL PROVISIONS

- Sec. 8126.151. TAX TO REPAY BONDS. The district may impose
- 3 <u>a tax to pay the principal of or interest on bonds issued under</u>
- 4 Section 8126.201.
- 5 [Sections 8126.152-8126.200 reserved for expansion]
- 6 SUBCHAPTER E. BONDS
- 7 Sec. 8126.201. AUTHORITY TO ISSUE BONDS AND OTHER
- 8 OBLIGATIONS. (a) The district may issue bonds or other obligations
- 9 as provided by Chapters 49 and 54, Water Code, to finance the
- 10 construction, maintenance, or operation of projects under Section
- 11 8126.101.
- 12 (b) The district may not issue bonds under Subsection (a)
- 13 unless the issuance is approved by a vote of a two-thirds majority
- of the voters of the district voting at an election called for that
- 15 purpose.
- 16 (c) Bonds or other obligations issued or incurred to finance
- 17 projects authorized by Section 8126.101 may not exceed one-fourth
- of the assessed value of the real property in the district.
- (d) Sections 49.181 and 49.182, Water Code, do not apply to
- 20 a project undertaken by the district under Section 8126.101 or to
- 21 bonds issued by the district to finance the project.
- 22 SECTION 2. The Denton County Municipal Utility District No.
- 23 6 initially includes all the territory contained in the following
- 24 area:
- 25 BEING a tract of land situated in the W. Lumpkin Survey,
- Abstract No. 730 and the F. Pollard Survey, Abstract No. 995 Denton
- 27 County, Texas, the subject tract consisting of the following

fourteen (14) tracts of land; that called 444.091 acre tract 1 2 conveyed to M.W. Carr, Trustee, according to the Special Warranty Deed recorded in Volume 2861, Page 751 of the Land Records of Denton 3 4 County, Texas (LRDCT), those tracts conveyed to Manson Harris, Trustee as follows; the six(6) tracts identified as Tracts One, 5 6 Two, Six, Nine, Ten and Eleven according to the deed recorded in Volume 410, Page 361 (LRDCT); the two(2) tracts identified as Tract 7 8 No. One andTract No. Two according to the deed recorded in Volume 9 419, Page 357 (LRDCT), those two(2) tracts identified as First tract and Second tract according to the Warranty Deed recorded in 10 Volume 409, Page 370 (LRDCT), a portion of that tract conveyed by 11 the warranty deed recorded in Volume 419, page 463 (LRDCT); that 12 tract conveyed to James Allison Cosby, Trustee, according to the 13 14 General Warranty Deed recorded in Volume 665, Page 237 (LRDCT); 15 that tract conveyed to W. Place Carr, III according to the Warranty Deed recorded in Volume 5304, Page 0629; and that tract conveyed to 16 17 William Plack Carr, Jr. according to the General Warranty Deed recorded in Volume 871, Page 381 (LRDCT), the total subject tract 18 being more particularly described as follows; 19

BEGINNING at a point on the East line of FM 2931 and at the northwest corner of a tract of land owned by said Manson Harris, Trustee according to the deed recorded in Volume 419, Page 463 (LRDCT), said beginning point further being located on the north line of said W. Lumpkin Survey Abstract No. 730 and approximately 476.4 feet Easterly from the northwest corner of said W. Lumpkin Survey, a 1/2" iron pin with a cap stamped Tipton Engineering, Inc. set at corner, from which a wood right-of-way monument bears N 23°

20

21

22

23

24

25

26

- 1 12 18" W, a distance of 163.82 feet;
 2 THENCE, along the easterly line of said FM 2931 according to
- the deed recorded in Volume 573, Page 561 the following;

 Around a curve to the left having a central angle of 14°

 30' 13", a radius of 1,195.92 feet, and a chord of N 09° 58'
- 6 05" E 301.92 feet, an arc distance of 302.73 feet to a 1/2"
 7 iron pin with a red cap stamped Tipton Eng. Inc. set at

8 corner;

- 9 N 02° 42' 59" E, a distance of 1,456.00 feet to a 1/2"

 10 iron pin with a red cap stamped Tipton Eng. Inc. set at

 11 corner;
- N 08° 25' 37" E, a distance of 100.50 feet to a wood highway monument found at corner;
- N 02° 42' 59" E, a distance of 300.00 feet to a wood highway monument found at corner;
- N 02° 59' 39" W, a distance of 100.50 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;
- N 02° 42' 59" E, a distance of 68.85 feet to the northwest corner of that tract identified as Tract 2 of said Manson Harris, Trustee deed (Volume 410, Page 361) a nail in a wood right-of-way monument found at corner;
- THENCE, S 86° 30' 22" E, along the south line of a tract of land conveyed to R.W. Noble, ET UX according to the deed recorded in Volume 1726, Page 881 (LRDCT), and the north line of said Manson Harris Trustee Tract 2 (Volume 410, Page 361), distance of 3,068.71 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner in the centerline of a creek identified as Hawling Branch;

```
H.B. No. 3534
            THENCE, in a southerly direction along the centerline
 1
 2
     meanders of said Hawling Branch and a common line with a tract of
 3
     land conveyed to James Williams according to the deed recorded in
 4
     Volume 577, Page 328 (LRDCT), the following;
 5
                  S 00^{\circ} 54' 06" W, a distance of 24.28 feet;
 6
                  S 28^{\circ} 00' 45" W, a distance of 40.68 feet;
                  S 30^{\circ} 49' 09" E, a distance of 39.42 feet;
 7
                  S 18^{\circ} 53' 27" E, a distance of 58.73 feet;
 8
                  S 75^{\circ} 33' 59" E, a distance of 33.71 feet;
 9
                  S 21^{\circ} 51' 14" E, a distance of 20.06 feet to a point in
10
            the approximate centerline of Pecan Creek;
11
12
            THENCE, continuing along the centerline meanders of Pecan
     Creek and in an Easterly direction along a common property line
13
14
     between the James Williams tract and a tract of land identified as
15
     Tract 2 and conveyed to Manson Harris, Trustee according to the deed
     recorded in Volume 409, Page 370 (LRDCT) the following;
16
                  S 67° 19' 05" E, a distance of 26.06 feet;
17
                  N 43^{\circ} 07' 31" E, a distance of 53.45 feet;
18
                  N 61^{\circ} 07' 26" E, a distance of 45.20 feet;
19
                  N 69^{\circ} 27' 32" E, a distance of 44.65 feet;
20
                  N 79^{\circ} 13' 17" E, a distance of 47.64 feet;
21
                  N 80^{\circ} 21' 32" E, a distance of 119.04 feet;
22
                  S 81^{\circ} 36' 44" E, a distance of 50.18 feet;
23
24
                  N 86^{\circ} 12' 28" E, a distance of 116.29 feet;
                  S 67^{\circ} 59' 39" E, a distance of 72.39 feet;
25
                  N 78^{\circ} 01' 35" E, a distance of 60.84 feet;
26
```

N 69 $^{\circ}$ 59' 16" E, a distance of 79.88 feet;

N 43° 16' 20" E, a distance of 30.34 feet to a point on the previously mentioned W. Lumpkin Survey--Abstract No. 730 north line;

THENCE, S 86° 30' 02" E, along the north line of said W. Lumpkin Survey--Abstract No. 730, the north line of said Manson Harris, Trustee Tract 2 (Volume 409, Page 370) and the south line of a tract of land conveyed to Tom L. Decker according to the deed recorded in Volume 959, Page 71 (LRDCT), a distance of 1,096.88 feet to the northeast corner of said Manson Harris, Trustee Tract 2, a PK nail found in asphalt at corner near the centerlines intersection of Coffey Road (a Public ROW) and Bonar Road (a Public ROW);

THENCE, S 86° 03' 33" E, along the approximate centerline of said Bonar Road and continuing along said W. Lumpkin Survey--Abstract No. 730 north line and the south line of the Tom L. Decker Tract and along the north line of a tract of land conveyed to Manson Harris, Trustee and identified as Tract 6 in the deed recorded in Volume 410, Page 361, a distance of 2,243.77 feet to a point being the southeast corner of a said Tom L. Decker tract, the southwest corner of a tract of land conveyed to Tom W. Mitchum according to the deed recorded in County Clerk File Number 93-0032522 (LRDCT), a 60-d nail found in asphalt at corner;

THENCE, S 83° 02' 32" E, along the common line between said Manson Harris, Trustee Tract 6 and said Tom W. Mitchum and proceeding along the centerline of said Bonar Road, a distance of 165.23 feet to a 60-d nail found at corner;

THENCE, S 74° 58' 57" E, continuing along the said Manson Harris Trustee Tract 6 north line the centerline of Bonar Road a

```
H.B. No. 3534
 1
     distance of 60.76 feet to a 60d nail found in asphalt near the
 2
     centerline of Pure Country Road at corner;
 3
            THENCE, continuing along the northeasterly line of said
     Manson Harris Trustee, Tract No. 6 and along an old abandoned ROW of
 4
 5
     Bonar Road, the following;
 6
                  S 50^{\circ} 12' 20" E, a distance of 78.74 feet;
 7
                  S 47^{\circ} 45' 47'' E, a distance of 117.54 feet;
                  S 46^{\circ} 00' 20" E, a distance of 148.71 feet;
 8
 9
                  S 34^{\circ} 45' 33" E, a distance of 117.90 feet;
                  S 01^{\circ} 21' 31" E, a distance of 101.33 feet;
10
                  S 25^{\circ} 33' 40" W, a distance of 182.31 feet;
11
                  S 08^{\circ} 22' 54" W, a distance of 96.08 feet;
12
                  S 24^{\circ} 54' 57" E, a distance of 78.35 feet;
13
14
                  S 31° 53' 17" E, a distance of 151.31 feet;
15
                  S 12^{\circ} 04' 56" E, a distance of 137.65 feet;
                  S 21^{\circ} 26' 35" E, a distance of 245.92 feet to a point in
16
            the
                 centerline of Little Elm Creek and most westerly
17
            northwesterly corner of a tract of land conveyed to M.W.
18
19
            Carr, Trustee according to the deed recorded in Volume 2861,
            Page 751 (LRDCT);
20
21
            THENCE, up the meanders of the centerline of Little Elm
     Creek, the following;
22
                  S 60^{\circ} 49' 46'' E, a distance of 141.43 feet;
23
24
                  N 68^{\circ} 40' 14" E, a distance of 204.70 feet;
                  N 24^{\circ} 36' 46" W, a distance of 232.40 feet;
25
                  N 54^{\circ} 26' 14" E, a distance of 187.00 feet;
26
                  S 64^{\circ} 02' 46" E, a distance of 423.10 feet;
```

```
N 49^{\circ} 18' 15" E, a distance of 159.80 feet;
 1
 2
                   N 15^{\circ} 47' 14" E, a distance of 449.20 feet;
                   N 42^{\circ} 07' 46" W, a distance of 436.60 feet;
 3
                   N 30^{\circ} 06' 14" E, a distance of 437.00 feet;
 4
 5
                   N 57^{\circ} 08' 14" E, a distance of 180.10 feet;
                   N 79^{\circ} 38' 14" E, a distance of 443.80 feet;
 6
                   N 62^{\circ} 51' 44" E, a distance of 503.70 feet;
 7
                   N 80^{\circ} 33' 20" E, a distance of 494.03 feet;
 8
                   N 21^{\circ} 34' 46" W, a distance of 230.70 feet;
 9
10
                   N 34^{\circ} 21' 46" W, a distance of 153.50 feet;
                   N 20^{\circ} 53' 14" E, a distance of 171.30 feet;
11
                   S 82^{\circ} 31' 46" E, a distance of 239.90 feet;
12
                   N 87^{\circ} 11' 14" E, along or near an old fence, a distance of
13
14
     84.70 feet;
15
             THENCE, N 80^{\circ} 06' 14" E, along or near a fence a distance of
16
      361.10 feet;
             THENCE, S 87^{\circ} 30' 46" E, a distance of 1,094.70 feet;
17
             THENCE, N 32^{\circ} 07' 46" W, a distance of 240.90 feet;
18
             THENCE, N 12^{\circ} 06' 46" W, a distance of 161.25 feet;
19
             THENCE, N 05^{\circ} 32' 14" E, a distance of 308.30 feet;
20
             THENCE, N 25^{\circ} 37' 46" W, a distance of 306.70 feet;
21
             THENCE, N 46^{\circ} 28' 14" E, a distance of 49.30 feet;
22
             THENCE, S 87^{\circ} 15' 46" E, a distance of 420.85 feet;
23
24
             THENCE, N 89° 32' 14" E, continuing along the property line
     between said J.T. Pickens tract and the subject tract and along or
25
26
     near a fence, a distance of 546.80 feet to a corner near a creek;
             THENCE, N 07^{\circ} 32' 14" E, a distance of 301.10 feet to a point
27
```

```
1
     near a creek;
            THENCE, N 63^{\circ} 17' 14" E, a distance of 120.20 feet to a point
 2
 3
     in Little Elm Creek;
 4
            THENCE, continuing along the previously mentioned common
 5
     property line and up the centerline meanders of said Little Elm
 6
     Creek, the following;
                  N 19^{\circ} 20' 14" E, a distance of 285.40 feet;
 7
                  N 37^{\circ} 13' 14" E, a distance of 202.00 feet;
 8
                  N 68^{\circ} 34' 14" E, a distance of 108.90 feet;
 9
                  N 58^{\circ} 26' 14" E, a distance of 323.90 feet;
10
                  S 63^{\circ} 01' 46" E, a distance of 161.60 feet;
11
                  N 68^{\circ} 03' 14" E, a distance of 73.30 feet;
12
                  S 38° 19' 46" E, a distance of 137.20 feet;
13
                  S 09^{\circ} 33' 46" E, a distance of 370.10 feet to a point on
14
15
            the west line of Farm-to-Market Road No. 1385, a 1/2" iron pin
            with a red cap stamped Tipton Eng. Inc. set at corner;
16
            THENCE, southerly along the said Farm-to-Market Road No. 1385
17
     westerly line, the following;
18
                   S 00^{\circ} 34' 58" E, a distance of 290.34 feet to a 1/2" iron
19
            pin with a red cap stamped Tipton Eng. Inc. set at corner;
20
                  S 05^{\circ} 41' 17" E, a distance of 101.12 feet to a 1/2" iron
21
            pin with a red cap stamped Tipton Eng. Inc. set at corner;
22
                  S 02^{\circ} 50' 34" W, a distance of 928.40 feet to a 1/2" iron
23
24
            pin with a red cap stamped Tipton Eng. Inc. set at corner;
                  S 03^{\circ} 32' 34" W, a distance of 2,157.30 feet to a 1/2"
25
26
            iron pin with a red cap stamped Tipton Eng. Inc. set at
27
            corner;
```

Around a tangent curve to the right having a central angle of 02° 02' 00", a radius of 11,485.37 feet, and a chord of S 02° 31' 34" W--407.58 feet, an arc distance of 407.60 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

S 01° 27' 30" W, a distance of 1,155.87 feet to a point near the centerline of Old Bonar Road (abandoned), a 1/2" iron pin found at corner, from which a 1/2" iron pin found on the east side of Farm-to-Market Road bears S 72° 30' 32" E, a distance of 95.08 feet;

11 THENCE, continuing along the said Farm-to-Market Road No.
12 1385 westerly line, the following;

S 01° 47' 07" W, a distance of 212.68 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

S 02° 39' 34" W, a distance of 608.40 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

S 87° 20' 26" E, a distance of 5.00 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner, from which a 5/8" iron pin with a yellow cap stamped "Cotton" Surveying bears S $51^{\circ}29$ " 37" W, a distance of 2.38 feet;

S 02° 39' 34" W, a distance of 441.10 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

S 02° 17' 34" W, passing 0.91 easterly of a 1/2" iron pin found at a distance of 1,293.22 feet and continuing to make a total distance of 2,658.50 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

THENCE, around a non-tangent curve to the left having a

```
H.B. No. 3534
```

- 1 central angle of 40° 57' 16", a radius of 2660.00 feet and a chord of
- 2 S 71° 01' 03" W--1861.12 feet, an arc distance of 1901.34 feet to a
- 3 point on the south line of that called 160.3 acre tract conveyed to
- 4 W. Plack Carr, III according to the Warranty Deed recorded in Volume
- 5 5304, Page 629 (LRDCT) and the north line of a tract of land
- 6 conveyed to C.M. Jackson according to the Warranty Deed recorded in
- 7 Volume 546, Page 12 (LRDCT;
- 8 THENCE, N 87° 42' 59" W, along the said W. Plack Carr, III
- 9 160.3 acre tract south line and the C.M. Jackson tract north line, a
- 10 distance of 1,551.80 feet to a 1/2" iron pin found at corner;
- THENCE, N 87° 46' 34" W, continuing along said W. Plack Carr,
- 12 III 160.3 acre tract part of the way and along the south line of a
- 13 tract of land conveyed to Manson Harris, Trustee and identified as
- 14 Tract 9 by the deed recorded in Volume 410, Page 361 (LRDCT), and
- 15 the north line of the previously mentioned Denton County 250, L.P.
- tract, a distance of 2,105.22 feet to a 1/2" iron pin with a red cap
- 17 stamped Tipton Eng. Inc. set at corner;
- THENCE, N 87° 13' 26" W, continuing along said Manson Harris,
- 19 Trustee Tract 9 south line and the north line of the previously
- 20 mentioned Denton County 250, L.P. tract, a distance of 401.38 feet
- 21 to a point in the center line of Dry Fork Branch;
- THENCE, continuing along a common line between said Manson
- 23 Harris, Trustee Tract 9 and Denton County 250, L.P. tract and the
- 24 meanders of the centerline of Dry Fork Branch the following;
- 25 S 01° 44' 08" W, a distance of 3.53 feet;
- 26 S 66° 52' 33" W, a distance of 42.96 feet;
- $33^{\circ} 38' 42'' W$, a distance of 69.98 feet;

```
S 40^{\circ} 03' 42" E, a distance of 70.10 feet;
 1
                    S 55^{\circ} 45' 01" W, a distance of 41.34 feet;
 2
                    N 48^{\circ} 48' 35'' W, a distance of 59.65 feet;
 3
                    S 69^{\circ} 48' 08" W, a distance of 39.39 feet;
 4
 5
                    S 18^{\circ} 46' 07" W, a distance of 39.69 feet;
                    N 85^{\circ} 13' 51" W, a distance of 39.09 feet;
 6
                    N 29^{\circ} 38' 28" W, a distance of 49.02 feet;
 7
 8
                    S 67^{\circ} 39' 14" W, a distance of 44.39 feet;
                    S 20^{\circ} 56' 54" E, a distance of 35.20 feet;
 9
10
                    S 51^{\circ} 59' 02" W, a distance of 21.10 feet;
                    N 74^{\circ} 18' 00" W, a distance of 56.94 feet;
11
                    S 87^{\circ} 05' 41" W, a distance of 67.50 feet;
12
                    S 84^{\circ} 48' 21" W, a distance of 94.67 feet;
13
14
                    S 01° 41' 24" W, a distance of 45.90 feet;
15
                    S 07^{\circ} 55' 44" W, a distance of 54.05 feet;
                    S 49^{\circ} 03' 20" E, a distance of 52.21 feet;
16
                    S 24^{\circ} 32' 20" W, a distance of 43.50 feet;
17
                    N 34^{\circ} 54' 01' W, a distance of 72.10 feet;
18
19
                    S 53^{\circ} 27' 51" W, a distance of 49.96 feet;
                    N 44^{\circ} 49' 29" W, a distance of 32.24 feet;
20
21
                    N 55^{\circ} 21' 27" W, a distance of 47.42 feet;
                    S 89^{\circ} 19' 26" W, a distance of 108.29 feet;
22
                    S 17^{\circ} 00' 38" E, a distance of 68.50 feet;
23
24
                    S 49^{\circ} 56' 33" E, a distance of 43.10 feet;
                    S 30^{\circ} 15" 18" W, a distance of 28.51 feet;
25
26
                    S 17^{\circ} 50' 28" E, a distance of 130.69 feet;
                    S 53° 14' 02" E, a distance of 113.00 feet;
27
```

```
S 49^{\circ} 46' 29" W, a distance of 44.19 feet;
 1
 2
                    S 82^{\circ} 30' 25" W, a distance of 46.29 feet;
                    S 55° 01' 26" W, a distance of 46.92 feet;
 3
                    S 73^{\circ} 59' 42" W, a distance of 73.60 feet;
 4
 5
                    S 01^{\circ} 58' 50'' W, a distance of 82.39 feet;
                    S 44^{\circ} 32' 54" W, a distance of 75.88 feet;
 6
 7
                    S 60^{\circ} 59' 33" W, a distance of 125.92 feet;
 8
                    N 59^{\circ} 16' 40" W, a distance of 8.73 feet;
                    N 02^{\circ} 07' 41" E, a distance of 42.96 feet;
 9
10
                    N 51^{\circ} 05' 49" W, a distance of 87.66 feet;
                    S 56^{\circ} 57' 55" W, a distance of 92.01 feet;
11
                    S 00^{\circ} 11' 40" E, a distance of 44.48 feet;
12
                    N 86^{\circ} 35' 20" W, a distance of 40.32 feet;
13
14
                    N 23° 04' 01" W, a distance of 132.38 feet;
15
                    S 67^{\circ} 47' 22" W, a distance of 29.70 feet;
                    N 77^{\circ} 54' 32" W, a distance of 91.22 feet;
16
                    N 89^{\circ} 09' 38" W, a distance of 57.89 feet;
17
                    S 25^{\circ} 45' 11" W, a distance of 47.92 feet;
18
19
                    S 48^{\circ} 37' 15" W, a distance of 47.84 feet;
                    N 31^{\circ} 57' 32" W, a distance of 38.45 feet;
20
21
                    S 58^{\circ} 36' 40" W, a distance of 80.57 feet;
                    S 77^{\circ} 51' 41" W, a distance of 92.67 feet;
22
                    S 25^{\circ} 04' 17" W, a distance of 53.98 feet;
23
24
                    S 79^{\circ} 04^{\circ} 03'' W, a distance of 40.09 feet;
                    S 41^{\circ} 02' 33" W, a distance of 86.41 feet;
25
26
                    S 86^{\circ} 01' 01" W, a distance of 65.70 feet;
                    N 53^{\circ} 16' 17" W, a distance of 44.26 feet;
27
```

```
S 71^{\circ} 51' 47" W, a distance of 53.49 feet;
 1
 2
                    S 28^{\circ} 19' 23" E, a distance of 102.21 feet;
                    S 21° 28' 55" W, a distance of 66.43 feet;
 3
                    S 31^{\circ} 05' 30" E, a distance of 51.38 feet;
 4
 5
                    S 05^{\circ} 58' 01" W, a distance of 107.43 feet;
                    S 83^{\circ} 52' 10" W, a distance of 36.07 feet;
 6
                    N 41^{\circ} 33' 44" W, a distance of 150.73 feet;
 7
 8
                    S 17^{\circ} 58' 36" W, a distance of 95.82 feet;
 9
                    N 82^{\circ} 04' 42" W, a distance of 31.64 feet;
10
                    N 35^{\circ} 10' 48" W, a distance of 58.03 feet;
                    N 87^{\circ} 29^{\circ} 01" W, a distance of 66.68 feet;
11
                    S 32^{\circ} 01' 53" W, a distance of 64.83 feet;
12
                    S 75^{\circ} 23' 35" W, a distance of 136.16 feet;
13
14
                    S 17° 11' 11" E, a distance of 81.64 feet;
15
                    S 19^{\circ} 14' 03" W, a distance of 87.30 feet;
                    S 10^{\circ} 47' 34" E, a distance of 59.51 feet;
16
                    S 04^{\circ} 45' 11" W, a distance of 21.33 feet;
17
                    N 87^{\circ} 49' 28" W, a distance of 52.55 feet;
18
19
                    N 62^{\circ} 32' 49" W, a distance of 103.03 feet;
                    S 72^{\circ} 39' 07" W, a distance of 37.14 feet;
20
21
                    S 07^{\circ} 43' 44" W, a distance of 163.03 feet;
                    S 10^{\circ} 00' 43" W, a distance of 13.38 feet;
22
                    S 01° 19' 14" W, a distance of 11.09 feet;
23
24
                    S 22^{\circ} 33' 28" W, a distance of 21.31 feet;
                    S 74^{\circ} 35' 23" W, a distance of 54.36 feet;
25
26
                    N 32^{\circ} 00' 02" W, a distance of 61.49 feet;
                    N 83^{\circ} 53' 28" W, a distance of 43.49 feet;
27
```

```
N 29^{\circ} 07' 53" E, a distance of 155.66 feet;
 1
 2
                 N 68^{\circ} 28' 09" W, a distance of 473.34 feet to a USA
 3
            Government concrete monument found at corner;
                  N 21^{\circ} 08' 29" W, passing, at a distance of 400.00 feet, a
 4
 5
            USA Government concrete marker found and continuing to make a
            total distance of 830.00 feet to a 1/2" iron pin with a red
 6
            cap stamped Tipton Eng. Inc. set at corner;
 7
                  N 07^{\circ} 57' 42" E, a distance of 549.88 feet;
 8
                  S 63^{\circ} 09' 42" W, a distance of 330.00 feet;
 9
10
            THENCE, along the westerly line of a tract of land identified
     as Tract L --031-2 as acquired by the United States of America
11
12
     according to the Judgement on Declaration recorded in Volume 427,
     Page 404 (LRDCT) the following;
13
                  S 03^{\circ} 31' 42" W, a distance of 510.00 feet to a USA
14
15
            Government concrete marker found at corner;
                  S 21° 24' 16" E, a distance of 1,365.00 feet;
16
                  S 04^{\circ} 16' 16" E, passing, at a distance of 497.59 feet, a
17
            USA Government concrete monument found, and continuing to
18
            make a total distance of 930.00 feet from which a USA
19
            Government concrete monument found bears N 06^{\circ} 22' 54" W, a
20
            distance of 135.33 feet
21
                  S 31^{\circ} 43' 44" W, a distance of 1,115.00 feet;
22
            THENCE, continuing along a USA tract the following;
23
24
                 N 35^{\circ} 18' 33" W, a distance of 128.53 feet;
                 N 01^{\circ} 41' 20" E, a distance of 192.60 feet;
25
                 N 11^{\circ} 06' 20" W, a distance of 154.71 feet;
26
                  S 30^{\circ} 52' 06" W, a distance of 844.30 feet;
27
```

```
S 15^{\circ} 32' 04" E, a distance of 43.00 feet;
 1
                 S 55^{\circ} 41' 41" W, a distance of 144.60 feet;
 2
                 N 33° 27' 55' W, passing a USA Government concrete marker
 3
            at a distance of 501.36 feet and continuing to make a total
 4
 5
            distance of 1,003 feet;
                 N 65^{\circ} 52' 55" W, a distance of 531.78 feet;
 6
 7
                 N 60^{\circ} 30' 44" W, part of the way along an easterly line of
 8
            a tract identified as Tract L--1031-1 and acquired by the
            Unites States of America according to the Judgement on
 9
           Declaration recorded in Volume 427, Page 404 (LRDCT), a total
10
            distance of 481.11 feet;
11
12
            THENCE, continuing along said Tract L-1031-1 easterly line,
     the following;
13
                 N 10^{\circ} 19' 16'' E, a distance of 1,200.00 feet;
14
15
                 N 21^{\circ} 17' 44" W, a distance of 575.00 feet;
            THENCE, N 87^{\circ} 15' 44" W, along the north line of said Tract
16
     L-1031-1, a distance of 125.00 feet to the southeast corner of a
17
     tract of land owned by Robert C. Francis, according to the deed
18
     recorded in County Clerk File Number 93-R0087997 (LRDCT);
19
            THENCE, with the meanders of the centerline of Pecan Creek
20
     and westerly line of a tract of land conveyed to W.P. Carr, Jr.
21
     according to the deed recorded in Volume 817, Page 381 (LRDCT), the
22
     following;
23
24
                 N 14^{\circ} 19' 37" W, a distance of 201.03 feet;
                 N 73^{\circ} 56' 27" E, a distance of 155.79 feet;
25
                 N 01^{\circ} 56' 45" W, a distance of 358.67 feet;
26
                 N 21^{\circ} 27' 57" E, a distance of 194.01 feet;
27
```

```
1
                    N 01^{\circ} 43' 38" E, a distance of 87.33 feet;
 2
                    N 24^{\circ} 34' 57" W, a distance of 50.14 feet;
                    N 39^{\circ} 36' 40" W, a distance of 53.90 feet;
 3
                    N 50^{\circ} 09' 58" W, a distance of 193.14 feet;
 4
 5
                    N 36^{\circ} 44' 04" W, a distance of 58.20 feet;
                    N 13^{\circ} 31' 23" E, a distance of 104.11 feet;
 6
                    N 28^{\circ} 55' 40" E, a distance of 97.06 feet;
 7
 8
                    N 13^{\circ} 23' 48" E, a distance of 121.30 feet;
 9
                    N 20^{\circ} 49' 09" E, a distance of 214.74 feet;
10
                    N 03^{\circ} 31' 57" W, a distance of 78.61 feet;
                    N 26^{\circ} 35' 51" W, a distance of 56.17 feet;
11
                    S 74^{\circ} 21' 48" W, a distance of 323.40 feet;
12
                    N 47^{\circ} 43' 36" W, a distance of 184.30 feet
13
14
                     N 01^{\circ} 18' 37" W, a distance of 176.41 feet;
15
                    N 31^{\circ} 50' 17" E, a distance of 144.41 feet;
                    N 73^{\circ} 48' 26" E, a distance of 76.36 feet;
16
                    N 87^{\circ} 17' 57" E, a distance of 388.23 feet;
17
                    N 12^{\circ} 53' 59" E, a distance of 91.64 feet;
18
19
                    N 51^{\circ} 40' 48" W, a distance of 110.88 feet;
                    N 65^{\circ} 46' 04" W, a distance of 85.16 feet;
20
21
                    N 67^{\circ} 35' 51" W, a distance of 203.95 feet;
                    N 24^{\circ} 43' 53" W, a distance of 386.38 feet;
22
                    N \ 09^{\circ} \ 34' \ 08'' \ E, a distance of 121.10 feet;
23
24
                    N 84^{\circ} 51' 30" E, a distance of 91.31 feet;
                    S 58° 52' 33" E, a distance of 92.02 feet;
25
26
                    N 65^{\circ} 39' 30" E, a distance of 203.09 feet;
                    N 55^{\circ} 22' 35" E, a distance of 143.03 feet;
27
```

```
N 27^{\circ} 38' 53" W, a distance of 131.21 feet;
 1
 2
                    N 47^{\circ} 40' 40" E, a distance of 230.19 feet;
                    N 56^{\circ} 27' 27" E, a distance of 155.71 feet;
 3
                    N 35^{\circ} 32' 32" E, a distance of 89.15 feet;
 4
 5
                    N 05^{\circ} 04' 15'' W, a distance of 31.55 feet;
                    N 32^{\circ} 21' 15" W, a distance of 60.86 feet;
 6
 7
                    N 53^{\circ} 25' 11" W, a distance of 37.55 feet;
 8
                    N 72^{\circ} 33' 50" W, a distance of 224.81 feet;
 9
                    N 54^{\circ} 27' 52" W, a distance of 43.91 feet;
10
                    N 37^{\circ} 55' 52" W, a distance of 485.32 feet;
                    N 28^{\circ} 17' 53" E, a distance of 67.53 feet;
11
                    N 51^{\circ} 05' 52" E, a distance of 122.66 feet;
12
                    N 61^{\circ} 56' 21" W, a distance of 208.44 feet;
13
14
                    N 17^{\circ} 47' 41" W, a distance of 130.57 feet;
                    N 70^{\circ} 21' 04" E, a distance of 278.71 feet;
15
                    N 06^{\circ} 17' 18" E, a distance of 113.58 feet;
16
                    N 37^{\circ} 24' 02" W, a distance of 177.94 feet;
17
                    N 01^{\circ} 45' 49" E, a distance of 103.77 feet;
18
                    N 63^{\circ} 02' 18" E, a distance of 264.76 feet;
19
                    N 12^{\circ} 55' 48" E, a distance of 151.38 feet;
20
                    THENCE, N 87^{\circ} 39' 37" W, along the south line of a tract
21
```

THENCE, N 87° 39' 37" W, along the south line of a tract of land conveyed to Manson Harris, Trustee according to the deed recorded in Volume 419, Page 463 (LRDCT), and the north line of a tract of land conveyed to James M. Dear according to the deed filed in County Clerk File Number 95-R0026211 (LRDCT), passing a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set on line at a distance of 326.75 feet and

22

23

24

25

26

continuing to make a total distance of 2,661.87 feet to a point on the east line of Farm-to-Market Road No. 2931, a 1/2" iron pin found at corner, from which a wooden right-of-way marker bears S 17° 32' 17" E--1.51 feet and another wooden right-of-way marker bears S 09° 45' 26" W--32.84 feet;

THENCE, along the said Farm-to-Market Road No. 2931 easterly line and the westerly line of said Manson Harris, Trustee tract, (Volume 419, Page 463) the following;

Around a curve to the right having a central angle of 16° 58' 33", a radius of 1,095.92 feet and a chord of N 19° 45' 08" E--323.52 feet, an arc distance of 324.71 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner, from which a wooden right-of-way marker bears N 09° 23' 22" E, a distance of 1.05 feet;

N 28 $^{\circ}$ 12' 59" E, a distance of 616.60 feet to a 1/2" iron pin with a red cap stamped Tipton Eng. Inc. set at corner;

Around a tangent curve to the left having a central angle of 10° 59' 47", a radius of 1,195.92 feet and a chord of N 22° 43' 05" E - 229.17 feet, an arc distance of 229.53 feet to the PLACE OF BEGINNING with the subject tract containing 105,485,324 square feet or 2,421.6098 acres of land.

SECTION 3. (a) The legal notice of the intention to introduce this Act, setting forth the general substance of this Act, has been published as provided by law, and the notice and a copy of this Act have been furnished to all persons, agencies, officials, or entities to which they are required to be furnished under Section 59, Article XVI, Texas Constitution, and Chapter 313,

- 1 Government Code.
- 2 (b) The governor, one of the required recipients, has
- 3 submitted the notice and Act to the Texas Commission on
- 4 Environmental Quality.
- 5 (c) The Texas Commission on Environmental Quality has filed
- 6 its recommendations relating to this Act with the governor, the
- 7 lieutenant governor, and the speaker of the house of
- 8 representatives within the required time.
- 9 (d) All requirements of the constitution and laws of this
- 10 state and the rules and procedures of the legislature with respect
- 11 to the notice, introduction, and passage of this Act are fulfilled
- 12 and accomplished.
- SECTION 4. This Act takes effect September 1, 2005.