

Amend Floor Amendment No. 1 to CSSB 5 (Senate Committee Printing) as follows:

(1) Strike SECTION 3 of the bill (page 5, lines 28-31) and (page 6, lines 1-6) and substitute the following:

SECTION 3. Section 245.010, Health and Safety Code, is amended by adding Subsections (a-1) and (a-2) and amending Subsection (c) to read as follows:

(a-1) Except as otherwise provided by Subsection (a-2), on or after September 1, 2014, the minimum standards for an abortion facility must be equivalent to the minimum standards adopted under Section 243.010 for ambulatory surgical centers.

(a-2) An abortion facility located more than 50 miles from the nearest other abortion facility must meet the minimum standards adopted under Subsection (c).

(c) The standards for a facility described by Subsection (a-2) may not be more stringent than Medicare certification standards, if any, for:

(1) qualifications for professional and nonprofessional personnel;

(2) supervision of professional and nonprofessional personnel;

(3) medical treatment and medical services provided by an abortion facility and the coordination of treatment and services, including quality assurance;

(4) sanitary and hygienic conditions within an abortion facility;

(5) the equipment essential to the health and welfare of the patients;

(6) clinical records kept by an abortion facility; and

(7) management, ownership, and control of the facility.

(2) Strike SECTION 4 of the bill (page 6, lines 6-7) and renumber subsequent SECTIONS of the bill accordingly.