

Amend Floor Amendment No. 1 to CSSB 5 (senate committee printing) as follows:

(1) In the recital to SECTION 3 of the bill (page 5, lines 28-29), strike "Subsection (a), Section 245.010, Health and Safety Code, is" and substitute "Subsections (a) and (c), Section 245.010, Health and Safety Code, are".

(2) In SECTION 3 of the bill, in amended Section 245.010(a), Health and Safety Code (page 6, line 4), between "facility" and "must", insert "that performs surgical abortions".

(3) In SECTION 3 of the bill, immediately following amended Section 245.010(a), Health and Safety Code (page 6, between lines 5 and 6), insert the following:

(c) Except as provided by Subsection (a), the ~~[The]~~ standards may not be more stringent than Medicare certification standards, if any, for:

(1) qualifications for professional and nonprofessional personnel;

(2) supervision of professional and nonprofessional personnel;

(3) medical treatment and medical services provided by an abortion facility and the coordination of treatment and services, including quality assurance;

(4) sanitary and hygienic conditions within an abortion facility;

(5) the equipment essential to the health and welfare of the patients;

(6) clinical records kept by an abortion facility; and

(7) management, ownership, and control of the facility.

(4) Strike SECTION 4 of the bill, repealing Section 245.010(c), Health and Safety Code (page 6, lines 6-7).