By: Perry S.B. No. 1867

A BILL TO BE ENTITLED

```
1
                                  AN ACT
2
   relating to the addition of certain substances to Penalty Group 2 of
3
   the Texas Controlled Substances Act.
          BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF TEXAS:
4
5
          SECTION 1. Section 481.103(a), Health and Safety Code, is
   amended to read as follows:
6
7
          (a) Penalty Group 2 consists of:
               (1) any quantity of the following hallucinogenic
8
9
   substances, their salts, isomers, and salts of isomers, unless
   specifically excepted, if the existence of these salts, isomers,
10
11
   and salts of isomers is possible within the specific chemical
12
   designation:
13
                    5-(2-aminopropyl)benzofuran (5-APB);
14
                    6-(2-aminopropyl)benzofuran (6-APB);
                    5-(2-aminopropyl)-2,3-dihydrobenzofuran
15
16
    (5-APDB);
                    6-(2-aminopropy1)-2,3-dihydrobenzofuran
17
    (6-APDB);
18
                    5-(2-aminopropyl)indole (5-IT,5-API);
19
20
                    6-(2-aminopropyl) indole (6-IT,6-API);
21
                    1-(benzofuran-5-yl)-N-methylpropan-2-amine
22
    (5-MAPB);
23
                    1-(benzofuran-6-yl)-N-methylpropan-2-amine
24
   (6-MAPB);
```

```
S.B. No. 1867
 1
                    Benzothiophenylcyclohexylpiperidine (BTCP);
 2
                     8-bromo-alpha-methyl-benzo[1,2-b:4,5-b']difuran-
 3
    4-ethanamine (trade or other name: Bromo-DragonFLY);
                    Desoxypipradrol (2-benzhydrylpiperidine);
 4
 5
                     2, 5-dimethoxyamphetamine (some trade or other
    names: 2, 5-dimethoxy-alpha-methylphenethylamine; 2, 5-DMA);
 6
 7
                    Diphenylprolinol
                                           (diphenyl(pyrrolidin-2-yl)
 8
    methanol, D2PM);
                    Dronabinol
 9
                                  (synthetic)
                                                in
                                                    sesame
                                                             oil
                                                                   and
10
    encapsulated in a soft gelatin capsule in a U.S. Food and Drug
    Administration approved drug product (some trade or other names for
11
12
    Dronabinol: (a6aR-trans)-6a,7,8,10a-tetrahydro-
                                                          6,6,
                                                                    9-
    trimethyl-3-pentyl-6H- dibenzo [b,d]pyran-1-ol or (-)-delta-9-
13
14
    (trans) - tetrahydrocannabinol);
15
                    Ethylamine Analog of Phencyclidine (some trade or
16
    other
                  names: N-ethyl-1-phenylcyclohexylamine,
    phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine,
17
    cyclohexamine, PCE);
18
19
                     2-ethylamino-2-(3-methoxyphenyl)cyclohexanone
    (trade or other name: methoxetamine);
20
21
                     Ibogaine (some trade or other names: 7-Ethyl-6,
    6, beta 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-6, 9-methano-5H-
22
    pyrido [1', 2':1, 2] azepino [5, 4-b] indole; tabernanthe iboga.);
23
24
                     5-iodo-2-aminoindane (5-IAI);
25
                    Mescaline;
26
                     5-methoxy-3, 4-methylenedioxy amphetamine;
                    4-methoxyamphetamine (some
27
                                                    trade
                                                                 other
                                                            or
```

```
1
   names: 4-methoxy-alpha-methylphenethylamine;
   paramethoxyamphetamine; PMA);
2
 3
                     4-methoxymethamphetamine (PMMA);
4
                     2-(2-methoxyphenyl)-2-(methylamino)cyclohexanone
5
    (some trade and other names: 2-MeO-ketamine; methoxyketamine);
6
                     1-methyl- 4-phenyl-4-propionoxypiperidine (MPPP,
7
   PPMP);
8
                     4-methyl-2, 5-dimethoxyamphetamine (some trade
9
   and
              other
                          names: 4-methyl-2,
                                                    5-dimethoxy-alpha-
10
   methylphenethylamine; "DOM"; "STP");
                     3,4-methylenedioxy methamphetamine (MDMA, MDM);
11
12
                     3,4-methylenedioxy amphetamine;
13
                     3,4-methylenedioxy N-ethylamphetamine
                                                                  (Also
14
   known as N-ethyl MDA);
15
                     5,6-methylenedioxy-2-aminoindane (MDAI);
16
                     Nabilone (Another name for nabilone: (+)-trans-
17
    3-(1,1-dimethylheptyl)- 6,6a, 7,8,10,10a-hexahydro-1-hydroxy- 6,
    6-dimethyl-9H-dibenzo[b,d] pyran-9-one;
18
19
                     N-benzylpiperazine
                                          (some
                                                   trade
                                                            or
                                                                 other
   names: BZP; 1-benzylpiperazine);
20
21
                     N-ethyl-3-piperidyl benzilate;
                     N-hydroxy-3,4-methylenedioxyamphetamine
2.2
                                                                  (Also
23
   known as N-hydroxy MDA);
24
                     4-methylaminorex;
25
                     N-methyl-3-piperidyl benzilate;
26
                    Parahexyl (some trade or other names: 3-Hexyl-1-
   hydroxy-7, 8, 9, 10-tetrahydro-6, 6, 9-trimethyl-6H-dibenzo [b, d]
27
```

```
1
   pyran; Synhexyl);
 2
                     1-Phenylcyclohexylamine;
 3
                     1-Piperidinocyclohexanecarbonitrile (PCC);
 4
                     Pyrrolidine Analog of Phencyclidine (some trade
 5
                     1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP);
   or other names:
 6
                     Tetrahydrocannabinols, other than marihuana, and
 7
    synthetic equivalents of the substances contained in the plant, or
8
    in the resinous extractives of Cannabis, or synthetic substances,
    derivatives, and their isomers with similar chemical structure and
 9
10
   pharmacological activity such as:
                          delta-1 cis or trans tetrahydrocannabinol,
11
12
    and their optical isomers;
                          delta-6 cis or trans tetrahydrocannabinol,
13
14
    and their optical isomers;
15
                          delta-3,
                                        4
                                                cis
                                                         or
                                                                  trans
16
   tetrahydrocannabinol, and its optical isomers; [or]
17
                          delta-5, cis or trans tetrahydrocannabinol,
    and their optical isomers;
18
19
                          delta-6a, cis or trans tetrahydrocannabinol,
    and their optical isomers;
20
21
                          delta-7, cis or trans tetrahydrocannabinol,
22
    and their optical isomers;
23
                          delta-7a, cis or trans tetrahydrocannabinol,
24
    and their optical isomers;
25
                          delta-8, cis or trans tetrahydrocannabinol,
26
    and their optical isomers;
27
                          delta-9, cis or trans tetrahydrocannabinol,
```

```
1
   and their optical isomers;
 2
                         delta-10, cis or trans tetrahydrocannabinol,
 3
   and their optical isomers;
 4
                         delta-10a,
                                          cis or
                                                               trans
 5
   tetrahydrocannabinol, and their optical isomers;
 6
                         delta-11, cis or trans tetrahydrocannabinol,
 7
   and their optical isomers;
8
                         delta-11-Hydroxy-tetrahydrocannabinol;
                         exo-tetrahydrocannabinol;
 9
10
                         1-pentyl-3-(1-naphthoyl) indole (JWH-018);
                         1-butyl-3-(1-naphthoyl) indole (JWH-073);
11
12
                         1-pentyl-3-(4-methoxynaphthoyl)
13
   (14-JWH-200);
14
                         1-pentyl-3-(2-methoxynaphthoyl)
15
   (JWH-250);
16
                         1-pentyl-3-(4-chloronaphthoyl) indole
17
   (JWH-398);
18
                         5-(1,1-Dimethylheptyl)-2-[(1R,3S)-3-
19
   hydroxycyclohexyl]-phenol (CP-47,497);
20
                         (6aR, 10aR) -9-(hydroxymethyl) -6,6-
21
   dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo
   [c]chromen-1-ol (HU-210);
22
23
                         (6a,10a)-9-(hydroxymethyl)-6,6-
24
   dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydro-6H-benzo
   [c]chromen-1-ol (HU-211);
25
26
                         tetrahydrocannabivarins, including delta-8
27
   tetrahydrocannabivarin;
```

1	metabolites of tetrahydrocannabinol,
2	including 11-hydroxy-tetrahydrocannabinol,
3	3-hydroxy-tetrahydrocannabinol, and
4	7-hydroxy-tetrahydrocannabinol;
5	hexahydrocannabiphorol-o-ester;
6	hydrogenated forms of tetrahydrocannabinol,
7	including hexahydrocannabinol, hexahydrocannabiphorol, and
8	hexahydrocannabihexol;
9	hydrogenated forms of hexahydrocannabinol
10	(HHC), including 8-hydroxyhexahydrocannabinol and
11	10-hydroxyhexahydrocannabinol;
12	ester forms of tetrahydrocannabinol,
13	including delta-8 THC-O-acetate, delta-9 THC-O-acetate, and
14	hexahydrocannabinol-O-acetate;
15	tetrahydrocannabinols with alkyl chain of
16	four or more carbon atoms, including tetrahydrocannabiphorols
17	(THCP), tetrahydrocannabioctyls, tetrahydrocannabihexols (THCH),
18	tetrahydrocannabidiol (THC-JD), and tetrahydrocannabutols;
19	tetrahydrocannabinol acetate (THC-O);
20	tetrahydrocannabinol methyl ester;
21	N-(1-Amino-1-methyl-ethyl)-5-fluoropen
22	tyl-1-naphthalen-2-yl-1H-indole-3-carboxamide (XRL-11 &15);
23	N-(1-Amino-1-methyl-ethyl)-5-fluoropen
24	tyl-1-naphthalen-2-yl-1H-indole-3-carboxamide (UR-144);
25	N-(1-Amino-1-methyl-ethyl)-5-fluoropen
26	tyl-1-naphthalen-2-yl-1H-indole-3-carboxamide (FUB-144);
27	N-(1-Amino-1-methyl-ethyl)-5-fluoropen

```
S.B. No. 1867
```

```
tyl-1-naphthalen-2-yl-1H-indole-3-carboxamide (AMB-FUBINACA);
 1
2
                          (3-[(1R,4R)-Isopropyl-2-methyl-1,3-benzo]
   dioxol-5-yl]-N-(2,4-dimethyl-3-methylbenzoyl)-N-methyl-1,2,3,4-
 3
   tetrahydroisoquinolin-6-amine) (THJ-220);
4
5
                          (3-[(1R,4R)-Isopropyl-2-methyl-1,3-benzo]
   dioxol-5-yl]-N-(2,4-dimethyl-3-methylbenzoyl)-N-methyl-1,2,3,4-
6
7
   tetrahydroisoquinolin-6-amine) (RCS-4);
8
                          Cannabicycloheptanone; or
9
                          compounds of these structures, regardless of
10
   numerical designation of atomic positions, since nomenclature of
   these substances is not internationally standardized;
11
12
                    Thiophene Analog of Phencyclidine (some trade or
   other names: 1-[1-(2-thienyl) cyclohexyl] piperidine; 2-Thienyl
13
14
   Analog of Phencyclidine; TPCP, TCP);
15
                    1-pyrrolidine (some trade or other name: TCPy);
16
                    1-(3-trifluoromethylphenyl)piperazine (trade or
17
   other name: TFMPP); and
                    3,4,5-trimethoxy amphetamine;
18
19
               (2) Phenylacetone
                                      (some
                                                trade
                                                          or
                                                                 other
   names: Phenyl-2-propanone; P2P, Benzymethyl ketone, methyl benzyl
20
21
   ketone);
               (3) unless specifically excepted or unless listed in
2.2
23
             Penalty Group, a material, compound, mixture,
   another
   preparation that contains any quantity of the following substances
24
   having a potential for abuse associated with a depressant or
25
26
   stimulant effect on the central nervous system:
27
                    Aminorex (some trade or other names: aminoxaphen;
```

```
S.B. No. 1867
 1
   2-amino-5-phenyl-2-oxazoline;
                                                       4,5-dihydro-5-
   phenyl-2-oxazolamine);
 2
 3
                    Amphetamine, its salts, optical isomers,
   salts of optical isomers;
 4
 5
                    Cathinone (some trade or other names: 2-amino-1-
   phenyl-1-propanone,
                               alpha-aminopropiophenone,
                                                                   2-
 6
 7
    aminopropiophenone);
8
                    Etaqualone and its salts;
 9
                    Etorphine Hydrochloride;
10
                    Fenethylline and its salts;
                    Lisdexamfetamine, including its salts, isomers,
11
   and salts of isomers;
12
                    Mecloqualone and its salts;
13
14
                    Methaqualone and its salts;
15
                    Methcathinone (some trade or other names: 2-
                                 alpha-(methylamino)propriophenone;
16
   methylamino-propiophenone;
17
   2-(methylamino)-1-phenylpropan-1-one;
                                                             alpha-N-
   methylaminopropriophenone;
                                monomethylpropion; ephedrone,
18
                                                                   N-
   methylcathinone; methylcathinone; AL-464; AL-422; AL-463; and UR
19
   1431);
20
21
                    N-Ethylamphetamine, its salts, optical isomers,
   and salts of optical isomers; and
22
23
                    N,N-dimethylamphetamine (some trade or
                                                                other
24
   names:
                               N,N,alpha-trimethylbenzeneethanamine;
   N,N,alpha-trimethylphenethylamine), its salts, optical isomers,
25
26
   and salts of optical isomers;
27
               (4)
                           compound structurally
                                                      derived
                    any
                                                                 from
```

```
S.B. No. 1867
 1
    2-aminopropanal by substitution at the 1-position with any
    monocyclic or fused-polycyclic ring system, including:
 2
 3
                     (A)
                          compounds further modified by:
 4
                          (i)
                               substitution in the ring system to any
 5
    extent (including alkyl, alkoxy, alkylenedioxy, haloalkyl, or
    halide substituents), whether or not further substituted in the
 6
    ring system by other substituents;
 7
8
                          (ii) substitution at the 3-position with an
 9
    alkyl substituent; or
                          (iii) substitution at the 2-amino nitrogen
10
    atom with alkyl, benzyl, dialkyl, or methoxybenzyl groups, or
11
    inclusion of the 2-amino nitrogen atom in a cyclic structure; and
12
                          by example, compounds such as:
13
14
                          4-Methylmethcathinone
                                                   (Also
                                                            known
                                                                    as
15
   Mephedrone);
                          3,4-Dimethylmethcathinone
16
                                                      (Also
                                                             known
                                                                    as
17
    3,4-DMMC);
                          3-Fluoromethcathinone (Also known as 3-FMC);
18
19
                          4-Fluoromethcathinone
                                                   (Also
                                                            known
                                                                    as
20
    Flephedrone);
21
                          3,4-Methylenedioxy-N-methylcathinone
                                                                  (Also
   known as Methylone);
22
23
                          3,4-Methylenedioxypyrovalerone (Also known
24
    as MDPV);
25
                          alpha-Pyrrolidinopentiophenone (Also known
26
    as alpha-PVP);
```

Naphthylpyrovalerone (Also

known

as

27

```
S.B. No. 1867
```

```
1
   Naphyrone);
 2
                          alpha-Methylamino-valerophenone (Also known
 3
    as Pentedrone);
 4
                          beta-Keto-N-methylbenzodioxolylpropylamine
 5
    (Also known as Butylone);
 6
                          beta-Keto-N-methylbenzodioxolylpentanamine
 7
    (Also known as Pentylone);
8
                          beta-Keto-Ethylbenzodioxolylbutanamine
    (Also known as Eutylone); and
 9
                          3,4-methylenedioxy-N-ethylcathinone
10
                                                                 (Also
   known as Ethylone);
11
                    any compound structurally derived from tryptamine
12
    (3-(2-aminoethyl)indole) or a ring-hydroxy tryptamine:
13
                          by modification in any of the following ways:
14
                     (A)
15
                          (i) by substitution at the amine nitrogen
    atom of the sidechain to any extent with alkyl or alkenyl groups or
16
17
    by inclusion of the amine nitrogen atom of the side chain (and no
    other atoms of the side chain) in a cyclic structure;
18
                          (ii) by substitution at the carbon atom
19
    adjacent to the nitrogen atom of the side chain (alpha-position)
20
   with an alkyl or alkenyl group;
21
22
                          (iii) by substitution in the 6-membered
    ring to any extent with alkyl, alkoxy, haloalkyl, thioaklyl,
23
24
    alkylenedioxy, or halide substituents; or
25
                          (iv) by substitution at the 2-position of
26
   the tryptamine ring system with an alkyl substituent; and
27
                     (B)
                          including:
```

```
S.B. No. 1867
 1
                          (i)
                               ethers and esters of the controlled
   substances listed in this subdivision; and
 2
 3
                          (ii) by example, compounds such as:
 4
                               alpha-ethyltryptamine;
 5
                               alpha-methyltryptamine;
 6
                               Bufotenine (some trade and other names:
 7
   3-(beta-Dimethylaminoethyl)-5-hydroxyindole;
 8
    3-(2-dimethylaminoethyl)- 5- indolol; N, N-dimethylserotonin;
   5-hydroxy-N, N- dimethyltryptamine; mappine);
10
                               Diethyltryptamine (some
                                                           trade
                                                                   and
   other names: N, N-Diethyltryptamine, DET);
11
12
                               Dimethyltryptamine
                                                    (trade
                                                                 other
13
   name: DMT);
14
                               5-methoxy-N,
                                              N-diisopropyltryptamine
15
    (5-MeO-DiPT);
                               O-Acetylpsilocin (Trade or other name:
16
17
   4-Aco-DMT);
                               Psilocin; and
18
19
                               Psilocybin;
20
                    2,5-Dimethoxyphenethylamine
                                                  and
               (6)
                                                        any compound
   structurally derived
                             from 2,5-Dimethoxyphenethylamine
21
                                                                    bу
   substitution at the 4-position of the phenyl ring to any extent
22
    (including alkyl, alkoxy, alkylenedioxy, haloalkyl, or halide
23
24
    substituents), including, by example, compounds such as:
25
                    4-Bromo-2,5-dimethoxyphenethylamine
                                                          (trade
                                                                    or
   other name: 2C-B);
26
                    4-Chloro-2,5-dimethoxyphenethylamine (trade
27
                                                                    or
```

```
S.B. No. 1867
 1
   other name: 2C-C);
 2
                     2,5-Dimethoxy-4-methylphenethylamine (trade
                                                                     or
 3
    other name: 2C-D);
 4
                     4-Ethyl-2,5-dimethoxyphenethylamine
                                                            (trade
                                                                     or
 5
    other name: 2C-E);
                     4-Iodo-2,5-dimethoxyphenethylamine
 6
                                                           (trade
                                                                     or
 7
    other name: 2C-I);
                     2,5-Dimethoxy-4-nitrophenethylamine
8
                                                                     or
    other name: 2C-N);
 9
10
                     2,5-Dimethoxy-4-(n)-propylphenethylamine (trade
   or other name: 2C-P);
11
12
                     4-Ethylthio-2,5-dimethoxyphenethylamine
                                                                (trade
    or other name: 2C-T-2);
13
                     4-Isopropylthio-2,5-dimethoxyphenethylamine
14
15
    (trade or other name: 2C-T-4); and
16
                     2,5-Dimethoxy-4-(n)-propylthiophenethylamine
17
    (trade or other name: 2C-T-7); and
                (7)
                    2,5-Dimethoxyamphetamine
                                                 and
18
                                                        any
19
    structurally derived from 2,5-Dimethoxyamphetamine by substitution
    at the 4-position of the phenyl ring to any extent (including alkyl,
20
    alkoxy, alkylenedioxy, haloalkyl, or halide substituents),
21
    including, by example, compounds such as:
22
23
                     4-Ethylthio-2,5-dimethoxyamphetamine (trade
24
    other name: Aleph-2);
25
                     4-Isopropylthio-2,5-dimethoxyamphetamine (trade
26
   or other name: Aleph-4);
27
                     4-Bromo-2,5-dimethoxyamphetamine (trade or other
```

```
S.B. No. 1867
 1
   name: DOB);
 2
                     4-Chloro-2,5-dimethoxyamphetamine
                                                          (trade
                                                                    or
 3
    other name: DOC);
 4
                     2,5-Dimethoxy-4-ethylamphetamine (trade or other
 5
   name: DOET);
 6
                     4-Iodo-2,5-dimethoxyamphetamine (trade or other
 7
   name: DOI);
8
                     2,5-Dimethoxy-4-methylamphetamine
                                                           (trade
                                                                    or
    other name: DOM);
                     2,5-Dimethoxy-4-nitroamphetamine (trade or other
10
   name: DON);
11
12
                     4-Isopropyl-2,5-dimethoxyamphetamine (trade
                                                                    or
    other name: DOIP); and
13
14
                     2,5-Dimethoxy-4-(n)-propylamphetamine (trade or
15
   other name: DOPR).
16
          SECTION 2. The change in law made by this Act applies only
    to an offense committed on or after the effective date of this
17
    Act. An offense committed before the effective date of this Act is
18
    governed by the law in effect on the date the offense was committed,
19
   and the former law is continued in effect for that purpose. For
20
   purposes of this section, an offense was committed before the
21
22
   effective date of this Act if any element of the offense occurred
   before that date.
23
24
          SECTION 3. This Act takes effect September 1, 2025.
```