By: Huffman S.B. No. 264

A BILL TO BE ENTITLED

1	AN ACT

- relating to the addition of certain substances to Penalty Groups 2
- 3 1-A and 2 of the Texas Controlled Substances Act for criminal
- 4 prosecution and other purposes.

- BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF TEXAS: 5
- SECTION 1. Subdivision (50), Section 481.002, Health and 6
- Safety Code, is amended to read as follows: 7
- (50)"Abuse unit" means: 8
- except as provided by Paragraph (B): 9
- 10 (i) a single unit on or in any adulterant,
- dilutant, or similar carrier medium, including marked or perforated 11
- 12 blotter paper, a tablet, gelatin wafer, sugar cube, or stamp, or
- 13 other medium that contains any amount of a controlled substance
- listed in Penalty Group 1-A, if the unit is commonly used in abuse 14
- 15 of that substance; or
- (ii) each quarter-inch square section of 16
- paper, if the adulterant, dilutant, or carrier medium is paper not 17
- marked or perforated into individual abuse units; or 18
- 19 if the controlled substance is in liquid or
- solid form, 40 micrograms of the controlled substance including any 20
- 21 adulterant or dilutant.
- 22 SECTION 2. Section 481.1021, Health and Safety Code, is
- amended to read as follows: 23
- Sec. 481.1021. PENALTY GROUP 1-A. (a) Penalty Group 1-A 24

```
1
   consists of:
 2
               (1)
                    lysergic acid diethylamide (LSD), including its
   salts, isomers, and salts of isomers; and
 3
4
               (2) compounds structurally derived
   2,5-dimethoxyphenethylamine by substitution at the 1-amino
5
   nitrogen atom with a benzyl substituent, including:
6
7
                    (A) <u>compounds further modified by:</u>
                         (i) substitution in the phenethylamine ring
8
9
   at the 4- position to any extent (including alkyl, alkoxy,
   alkylenedioxy, haloalkyl, or halide substituents); or
10
11
                         (ii) substitution in the benzyl ring to any
   extent (including alkyl, alkoxy, alkylenedioxy, haloalkyl, or
12
13
   halide substituents); and
                    (B) by example, compounds such as:
14
15
                         4-Bromo-2,5-dimethoxy-N-(2-methoxybenzyl)
16
   phenethylamine (trade or other names: 25B-NBOMe, 2C-B-NBOMe);
                         4-Chloro-2,5-dimethoxy-N-(2-methoxybenzyl)
17
   phenethylamine (trade or other names: 25C-NBOMe, 2C-C-NBOMe);
18
                         2,5-Dimethoxy-4-methyl-N-(2-methoxybenzyl)
19
20
   phenethylamine (trade or other names: 25D-NBOMe, 2C-D-NBOMe);
                         4-Ethyl-2,5-dimethoxy-N-(2-methoxybenzyl)
21
   phenethylamine (trade or other names: 25E-NBOMe, 2C-E-NBOMe);
22
23
                         2,5-Dimethoxy-N-(2-
   methoxybenzyl)phenethylamine (trade or other names: 25H-NBOMe,
24
25
   2C-H-NBOMe);
                         4-Iodo-2,5-dimethoxy-N-(2-methoxybenzyl)
26
27
   phenethylamine (trade or other names: 25I-NBOMe, 2C-I-NBOMe);
```

```
1
                         4-Iodo-2,5-dimethoxy-N-
 2
   benzylphenethylamine (trade or other name: 25I-NB);
 3
                         4-Iodo-2, 5-dimethoxy-N-(2,3-
   methylenedioxybenzyl)phenethylamine (trade or other name:
4
5
   25I-NBMD);
6
                         4-Iodo-2, 5-dimethoxy-N-(2-
   fluorobenzyl)phenethylamine (trade or other name: 25I-NBF);
7
8
                         4-Iodo-2,5-dimethoxy-N-(2-hydroxybenzyl)
9
   phenethylamine (trade or other name: 25I-NBOH);
                         2,5-Dimethoxy-4-nitro-N-(2-methoxybenzyl)
10
   phenethylamine (trade or other names: 25N-NBOMe, 2C-N-NBOMe); and
11
                         2,5-Dimethoxy-4-(n)-propyl-N-(2-
12
13
   methoxybenzyl)phenethylamine (trade or other names: 25P-NBOMe,
   2C-P-NBOMe).
14
15
          (b) To the extent Subsection (a)(2) conflicts with this
16
   subtitle or another law, the subtitle or other law prevails.
17
          SECTION 3. Subsections (a) and (c), Section 481.103, Health
18
   and Safety Code, are amended to read as follows:
             Penalty Group 2 consists of:
19
                    any quantity of the following hallucinogenic
20
   substances, their salts, isomers, and salts of isomers, unless
21
   specifically excepted, if the existence of these salts, isomers,
22
   and salts of isomers is possible within the specific chemical
23
24
   designation:
25
                    alpha-ethyltryptamine;
26
                    alpha-methyltryptamine;
27
                    [4-bromo-2, 5-dimethoxyamphetamine (some trade or
```

```
1
   other names: 4-bromo-2, 5-dimethoxy-alpha-methylphenethylamine;
   4-bromo-2, 5-DMA);
 2
                    [4-bromo-2, 5-dimethoxyphenethylamine;]
 3
 4
                    Bufotenine (some trade and other names: 3-(beta-
   Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-
5
                        N-dimethylserotonin;
6
   indolol;
                 Ν,
                                                 5-hydroxy-N,
                                                                   N-
7
   dimethyltryptamine; mappine);
                    Diethyltryptamine
8
                                         (some
                                                 trade
                                                          and
                                                                other
9
   names:
           N, N-Diethyltryptamine, DET);
10
                    2, 5-dimethoxyamphetamine (some trade or other
11
   names: 2, 5-dimethoxy-alpha-methylphenethylamine; 2, 5-DMA);
                    [2, 5-dimethoxy-4-ethylamphetamine (trade
12
13
   other name: DOET);
14
                         5-dimethoxy-4-(n)-propylthiophenethylamine
15
   (trade or other name: 2C-T-7);
16
                    Dimethyltryptamine (trade or other name: DMT);
17
                    Dronabinol (synthetic) in sesame
                                                            oil
   encapsulated in a soft gelatin capsule in a U.S. Food and Drug
18
   Administration approved drug product (some trade or other names for
19
20
                (a6aR-trans)-6a,7,8,10a-tetrahydro-
                                                                   9-
   trimethyl-3-pentyl-6H- dibenzo [b,d]pyran-1-ol or (-)-delta-9-
21
22
    (trans) - tetrahydrocannabinol);
                    Ethylamine Analog of Phencyclidine (some trade or
23
24
                 names: N-ethyl-1-phenylcyclohexylamine,
   other
                                                                  (1 -
   phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine,
25
   cyclohexamine, PCE);
26
27
                    Ibogaine (some trade or other names: 7-Ethyl-6,
```

```
S.B. No. 264
   6, beta 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-6, 9-methano-5H-
 1
2
   pyrido [1', 2':1, 2] azepino [5, 4-b] indole; tabernanthe iboga.);
                     Mescaline;
 3
 4
                     5-methoxy-N, N-diisopropyltryptamine;
                     5-methoxy-3, 4-methylenedioxy amphetamine;
5
                     4-methoxyamphetamine
                                            (some
6
                                                    trade
                                                            or
                                                                  other
7
            4-methoxy-alpha-methylphenethylamine;
   paramethoxyamphetamine; PMA);
8
9
                     1-methyl- 4-phenyl-4-propionoxypiperidine (MPPP,
   PPMP);
10
11
                     4-methyl-2, 5-dimethoxyamphetamine (some trade
12
   and
             other
                         names: 4-methyl-2,
                                                    5-dimethoxy-alpha-
   methylphenethylamine; "DOM"; "STP");
13
                     3,4-methylenedioxy methamphetamine (MDMA, MDM);
14
15
                     3,4-methylenedioxy amphetamine;
16
                     3,4-methylenedioxy N-ethylamphetamine
                                                                  (Also
17
   known as N-ethyl MDA);
18
                     Nabilone (Another name for nabilone: (+)-trans-
    3-(1,1-dimethylheptyl)- 6,6a, 7,8,10,10a-hexahydro-1-hydroxy- 6,
19
20
   6-dimethyl-9H-dibenzo[b,d] pyran-9-one;
21
                     N-benzylpiperazine
                                          (some
                                                   trade
                                                                  other
                                                            or
22
   names: BZP; 1-benzylpiperazine);
                     N-ethyl-3-piperidyl benzilate;
23
24
                     N-hydroxy-3,4-methylenedioxyamphetamine
                                                                  (Also
25
   known as N-hydroxy MDA);
                     4-methylaminorex;
26
```

N-methyl-3-piperidyl benzilate;

```
S.B. No. 264
 1
                     Parahexyl (some trade or other names: 3-Hexyl-1-
2
   hydroxy-7, 8, 9, 10-tetrahydro-6, 6, 9-trimethyl-6H-dibenzo [b, d]
   pyran; Synhexyl);
 3
 4
                     1-Phenylcyclohexylamine;
                     1-Piperidinocyclohexanecarbonitrile (PCC);
5
6
                     Psilocin;
7
                     Psilocybin;
                    Pyrrolidine Analog of Phencyclidine (some trade
8
9
    or other names:
                    1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP);
10
                     Tetrahydrocannabinols, other than marihuana, and
   synthetic equivalents of the substances contained in the plant, or
11
   in the resinous extractives of Cannabis, or synthetic substances,
12
13
   derivatives, and their isomers with similar chemical structure and
   pharmacological activity such as:
14
15
                          delta-1 cis or trans tetrahydrocannabinol,
16
   and their optical isomers;
17
                          delta-6 cis or trans tetrahydrocannabinol,
18
   and their optical isomers;
19
                          delta-3,
                                        4
                                                cis
                                                         or
                                                                 trans
   tetrahydrocannabinol, and its optical isomers;
20
                          compounds of these structures, regardless of
21
22
   numerical designation of atomic positions, since nomenclature of
   these substances is not internationally standardized;
23
24
                     Thiophene Analog of Phencyclidine (some trade or
25
   other names:
                  1-[1-(2-thienyl) cyclohexyl] piperidine; 2-Thienyl
   Analog of Phencyclidine; TPCP, TCP);
26
```

1-pyrrolidine (some trade or other name: TCPy);

```
S.B. No. 264
 1
                    1-(3-trifluoromethylphenyl)piperazine (trade or
 2
   other name:
                TFMPP); and
                    3,4,5-trimethoxy amphetamine;
 3
 4
                    Phenylacetone
                                      (some
                                                trade
                                                          or
           Phenyl-2-propanone; P2P, Benzymethyl ketone, methyl benzyl
5
   names:
6
   ketone);
7
               (3) unless specifically excepted or unless listed in
             Penalty Group,
                               a material, compound,
8
                                                        mixture,
9
   preparation that contains any quantity of the following substances
   having a potential for abuse associated with a depressant or
10
   stimulant effect on the central nervous system:
11
                    Aminorex
12
                                   (some
                                             trade
                                                                 other
                                                         or
13
   names:
            aminoxaphen; 2-amino-5-phenyl-2-oxazoline; 4,5-dihydro-5-
14
   phenyl-2-oxazolamine);
15
                    Amphetamine, its salts, optical isomers,
16
   salts of optical isomers;
17
                    Cathinone (some trade or other names:
                                                           2-amino-1-
   phenyl-1-propanone,
                                alpha-aminopropiophenone,
                                                                    2-
18
   aminopropiophenone);
19
20
                    Etorphine Hydrochloride;
                    Fenethylline and its salts;
21
22
                    Lisdexamfetamine, including its salts, isomers,
   and salts of isomers;
23
24
                    Mecloqualone and its salts;
25
                    Methaqualone and its salts;
                    Methcathinone (some trade or other names:
26
```

methylamino-propiophenone; alpha-(methylamino)propriophenone;

S.B. No. 264

```
2-(methylamino)-1-phenylpropan-1-one;
 1
                                                             alpha-N-
2
   methylaminopropriophenone; monomethylpropion;
                                                      ephedrone,
   methylcathinone; methylcathinone; AL-464; AL-422; AL-463; and UR
 3
4
   1431);
5
                    N-Ethylamphetamine, its salts, optical isomers,
   and salts of optical isomers; and
6
7
                    N, N-dimethylamphetamine
                                             (some
                                                     trade
                                                                other
                                                            or
           N,N,alpha-trimethylbenzeneethaneamine;
8
   names:
9
   N,N,alpha-trimethylphenethylamine), its salts, optical isomers,
   and salts of optical isomers; [and]
10
11
               (4)
                    any
                           compound
                                     structurally
                                                      derived
                                                                 from
12
   2-aminopropanal by substitution at the 1-position with any
13
   monocyclic or fused-polycyclic ring system, including:
                         compounds further modified by:
14
                    (A)
15
                          (i)
                               substitution in the ring system to any
16
   extent (including alkyl, alkoxy, alkylenedioxy, haloalkyl, or
   halide substituents), whether or not further substituted in the
17
   ring system by other substituents;
18
                          (ii) substitution at the 3-position with an
19
20
   alkyl substituent; or
                          (iii) substitution at the 2-amino nitrogen
21
22
   atom with alkyl or dialkyl groups, or inclusion of the 2-amino
   nitrogen atom in a cyclic structure; and
23
24
                         by example, compounds such as:
```

4-Methylmethcathinone

3,4-Dimethylmethcathinone

(Also

(Also

known

known

as

as

25

26

27

Mephedrone);

```
S.B. No. 264
   3,4-DMMC);
 1
 2
                          3-Fluoromethcathinone (Also known as 3-FMC);
 3
                          4-Fluoromethcathinone
                                                   (Also
                                                           known
                                                                   as
4
   Flephedrone);
5
                          3,4-Methylenedioxy-N-methylcathinone
6
   known as Methylone);
7
                          3,4-Methylenedioxypyrovalerone (Also known
   as MDPV);
8
9
                          alpha-Pyrrolidinopentiophenone (Also known
   as alpha-PVP);
10
11
                          Naphthylpyrovalerone (Also
                                                          known
                                                                   as
12
   Naphyrone);
13
                          alpha-Methylamino-valerophenone (Also known
14
   as Pentedrone);
15
                          beta-Keto-N-methylbenzodioxolylpropylamine
16
   (Also known as Butylone);
17
                         beta-Keto-N-methylbenzodioxolylpentanamine
    (Also known as Pentylone);
18
                          beta-Keto-Ethylbenzodioxolylbutanamine
19
20
    (Also known as Eutylone); and
21
                          3,4-methylenedioxy-N-ethylcathinone
                                                                 (Also
   known as Ethylone);
22
               (5) 2,5-Dimethoxyphenethylamine and any compound
23
   structurally derived from 2,5-Dimethoxyphenethylamine
24
25
   substitution at the 4-position of the phenyl ring to any extent
   (including alkyl, alkoxy, alkylenedioxy, haloalkyl, or halide
26
```

substituents), including, by example, compounds such as:

```
S.B. No. 264
 1
                    4-Bromo-2,5-dimethoxyphenethylamine (trade or
 2
   other name: 2C-B);
 3
                    4-Chloro-2,5-dimethoxyphenethylamine (trade
4
   other name: 2C-C);
5
                    2,5-Dimethoxy-4-methylphenethylamine (trade
                                                                   or
6
   other name: 2C-D);
7
                    4-Ethyl-2,5-dimethoxyphenethylamine (trade
                                                                   or
8
   other name: 2C-E);
9
                    4-Iodo-2,5-dimethoxyphenethylamine (trade
10
   other name: 2C-I);
11
                    2,5-Dimethoxy-4-nitrophenethylamine (trade
                                                                   or
   other name: 2C-N);
12
13
                    2,5-Dimethoxy-4-(n)-propylphenethylamine (trade
14
   or other name: 2C-P);
15
                    4-Ethylthio-2,5-dimethoxyphenethylamine (trade
   or other name: 2C-T-2);
16
17
                    4-Isopropylthio-2,5-dimethoxyphenethylamine
   (trade or other name: 2C-T-4); and
18
19
                    2,5-Dimethoxy-4-(n)-propylthiophenethylamine
20
   (trade or other name: 2C-T-7); and
               (6) 2,5-Dimethoxyamphetamine and any compound
21
   structurally derived from 2,5-Dimethoxyamphetamine by substitution
22
   at the 4- position of the phenyl ring to any extent (including
23
   alkyl, alkoxy, alkylenedioxy, haloalkyl, or halide substituents),
24
   including, by example, compounds such as:
25
26
                    4-Ethylthio-2,5-dimethoxyamphetamine (trade or
```

27

other name: Aleph-2);

```
1
                    4-Isopropylthio-2,5-dimethoxyamphetamine (trade
 2
   or other name: Aleph-4);
 3
                    4-Bromo-2,5-dimethoxyamphetamine (trade or other
   name: DOB);
 4
 5
                    4-Chloro-2,5-dimethoxyamphetamine (trade
                                                                   or
 6
   other name: DOC);
 7
                    2,5-Dimethoxy-4-ethylamphetamine (trade or other
 8
   name: DOET);
 9
                    4-Iodo-2,5-dimethoxyamphetamine (trade or other
10
   name: DOI);
11
                    2,5-Dimethoxy-4-methylamphetamine (trade
                                                                   or
   other name: DOM);
12
13
                    2,5-Dimethoxy-4-nitroamphetamine (trade or other
14
   name: DON);
15
                    4-Isopropyl-2,5-dimethoxyamphetamine (trade or
16
   other name: DOIP); and
17
                    2,5-Dimethoxy-4-(n)-propylamphetamine (trade or
   other name: DOPR).
18
          (c) To the extent Subsection (a)(4), (5), or (6) conflicts
19
   with this subtitle or another law, the subtitle or other law
20
21
   prevails.
22
          SECTION 4. The change in law made by this Act applies only
   to an offense committed on or after the effective date of this Act.
23
   An offense committed before the effective date of this Act is
24
   governed by the law in effect on the date the offense was committed,
25
   and the former law is continued in effect for that purpose. For
26
27
   purposes of this section, an offense was committed before the
```

S.B. No. 264

- 1 effective date of this Act if any element of the offense occurred
- 2 before that date.
- 3 SECTION 5. This Act takes effect September 1, 2013.